

DOMO 220

DO2RD30SY840NW **DOMO 220 G2 3000 NW**



Description:


Round recessed DOMO 220 G2 3000 NW downlight, LAMP brand. With external ring in white lacquered die-cast aluminium. Model for MID-POWER LED, neutral white colour temperature and control gear included. Reflector designed by the optical concept named REDIL® (Direct Emission LED Reflector), which consists of a two-phase reflection. Insulation class II.

Finish: Matte white RAL 9010

Weight: 1.510 g

IEE : A+

Installation: Recessed



Lamp:

Type:	MID POWER NICHIA	°K :	4000
LED Lifetime:	50.000 L90 B10	CRI :	80
Power:	29W	MacAdam:	3

Electrical features:

Gear:	Electronic	Power Supply:	120-240V 50/60Hz
Plum:	32W		

Technical features:



Quality certificates:



Photometrical data:

H (m)	D (m)	E _{max}	E _{med}	Diagram	Beam Spread	Beam Angle
1	1,38	2263	1321			<p>10041030 $\eta = 100\%$ $I_{max} = 771 \text{ cd/klm}$ UTE: 1,00B + 0,00T CIE: 81 97 99 100 100</p>
2	2,76	566	330			
3	4,13	251	147			
4	5,51	141	83			

Light output: 2.938 lm **Efficacy:** 91,8 lm/w


Optical



Product code: 8606130 **Description:** DOMO 220 G2 ACC. INT OPAL DIFFUSER



Product code: DIOPRD240G **Description:** DOMO 220 ACC. OPAL GLASS GR.
DIOPRD240W **Description:** DOMO 220 ACC. OPAL GLASS WH.



Product code: DITRRD240B **Description:** DOMO 220/KOMBIC ACC. TRANSP GLASS BK.



Product code: DITRRD240G **Description:** DOMO 220/KOMBIC ACC. TRANSP GLASS GR.
DITRRD240W **Description:** DOMO 220/KOMBIC ACC. TRANSP GLASS WH.



Product code: RIRD240B **Description:** DOMO 220/KOMBIC ACC. DECO RING BK.



Product code: RIRD240G **Description:** DOMO 220/KOMBIC ACC. DECO RING GR.
RIRD240W **Description:** DOMO 220/KOMBIC ACC. DECO RING WH.

