

Product datasheet
KOMBIC 200

 K31RD5040OP840NMW **KOMBIC 200 RD 5000 IP44 NW OPAL MA/WH**


Description:

Round recessed downlight model KOMBIC 200 RD MATT 3000 NW DALI, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and matt metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model f or COB LED, with neutral white colour temperature and control gear included. IP44 protection rating. Insulation class II.

Finish: Shiny white RAL 9010

Weight: 1.536 g

IEE : A+

Installation: Recessed

Lamp:


Type: COB PHILIPS
LED Lifetime: 50.000 L70 B10
Power: 36W

°K : 4000
CRI : 80
MacAdam: 3

Electrical features:

Gear: Electronic
Plum: 39W

Power Supply: 220-240V 50/60Hz

Technical features:

Quality certificates:

Photometrical data:

H (m)	D (m)	E _{max}	E _{med}	Diagram	Beam Angle	Beam Shape	Color & Performance
1	1,61	2461	1247		180°		9241531 $\eta = 100\%$ $I_{max} = 641 \text{ cd/klm}$ UTE: 1,00B + 0,00T CIE: 71 95 99 100 100
2	3,22	615	312				
3	4,84	273	139				
4	6,45	154	78				

Light output: 3.845 lm **Efficacy:** 98,6 lm/w

Optical




Product code: ADRD250W
Description: KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code: DITRD240B
Description: DOMO 220/KOMBIC ACC. TRANSP GLASS BK.



Product code: DITRD240G
Description: DOMO 220/KOMBIC ACC. TRANSP GLASS GR.
DITRD240W DOMO 220/KOMBIC ACC. TRANSP GLASS WH.



Product code: RIRD240B
Description: DOMO 220/KOMBIC ACC. DECO RING BK.



Product code: RIRD240G
Description: DOMO 220/KOMBIC ACC. DECO RING GR.
RIRD240W DOMO 220/KOMBIC ACC. DECO RING WH.

