

Product datasheet
KOMBIC 200

 K31RD3040OP830NMW **KOMBIC 200 RD MATT 3000 WW**


Description:

Round Recessed Downlight model KOMBIC 200 MATT 3000 WW, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and matt metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II. Photobiological safety group 0.

Finish: Shiny white RAL 9010

Weight: 976 g

IEE : A+

Installation: Recessed

Lamp:
Type: COB TRIDONIC

LED Lifetime: 50.000 L80 B10

Power: 17W

°K : 3000


CRI : 80

MacAdam: 3

Electrical features:
Gear: Electronic

Plum: 18.1W

Power Supply: 220-240V 50/60Hz

Technical features:

Quality certificates:

Photometrical data:

H (m)	D (m)	E _{max}	E _{med}	alpha = 77,7°	180°	9241351 $\eta = 100\%$ $I_{max} = 641 \text{ cd/klm}$ UTE: 1,00B + 0,00T CIE: 71 95 99 100 100
1	1,61	1269	643		90°	
2	3,22	317	161		0°	
3	4,84	141	71		90°	
4	6,45	79	40			

Light output: 1.982 lm **Efficacy:** 109,5 lm/w

Optical




Product code: ADRD250W
Description: KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code: DITRD240B
Description: DOMO 220/KOMBIC ACC. TRANSP GLASS BK.



Product code: DITRD240G
Description: DOMO 220/KOMBIC ACC. TRANSP GLASS GR.
DITRD240W DOMO 220/KOMBIC ACC. TRANSP GLASS WH.



Product code: RIRD240B
Description: DOMO 220/KOMBIC ACC. DECO RING BK.



Product code: RIRD240G
Description: DOMO 220/KOMBIC ACC. DECO RING GR.
RIRD240W DOMO 220/KOMBIC ACC. DECO RING WH.

