

Product datasheet
KOMBIC 200

 K31RD5040OP830NMW **KOMBIC 200 RD 5000 IP44 WW OPAL MA/WH**


Description:

Round recessed downlight model KOMBIC 200 RD 5000 IP44 WW OPAL MA/WH, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and matt metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II.

Finish: Shiny white RAL 9010

Weight: 1.536 g

IEE : A+

Installation: Recessed

Lamp:


Type: COB PHILIPS
LED Lifetime: 50.000 L70 B10
Power: 36W

°K : 3000
CRI : 80
MacAdam: 3

Electrical features:

Gear: Electronic
Plum: 39W

Power Supply: 220-240V 50/60Hz

Technical features:

Quality certificates:

Photometrical data:


H (m)	D (m)	E _{max}	E _{med}	Diagram	Beam Angle	Beam Angle Diagram	Technical Data
1	1,61	2289	1159		77,7°		9241521 $\eta = 100\%$ $I_{max} = 641 \text{ cd/klm}$ UTE: 1,00B + 0,00T CIE: 71 95 99 100 100
2	3,22	572	290				
3	4,84	254	129				
4	6,45	143	72				

Light output: 3.576 lm **Efficacy:** 91,7 lm/w

Optical




Product code: ADRD250W
Description: KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code: DITRD240B
Description: DOMO 220/KOMBIC ACC. TRANSP GLASS BK.



Product code: DITRD240G
Description: DOMO 220/KOMBIC ACC. TRANSP GLASS GR.
DITRD240W DOMO 220/KOMBIC ACC. TRANSP GLASS WH.



Product code: RIRD240B
Description: DOMO 220/KOMBIC ACC. DECO RING BK.



Product code: RIRD240G
Description: DOMO 220/KOMBIC ACC. DECO RING GR.
RIRD240W DOMO 220/KOMBIC ACC. DECO RING WH.

