



Large LED Exit Signs

CAT NO. 684481, 684482, 684483, 684484, 684485, 684486, 684487, 684488, 684489, 684490, 684491, 684492, 684493, 684494, 684495, 684496, 684497, 684498, 684499, 684500, 684501, 684502, 684503, 684504, 684505, 684506, 684507, 684508, 684509, 684511, 684512, 684513, 684514, 684515



Operating Mode	Maintained
Operating Voltage	240 Vac (+/- 6%) 50 Hz
Power Consumption	7.2W hrc / 5.6W lrc
Battery	5 x Sub-C in-line 1.5 Ahr
Operating Temperature	10°C to 40°C
Body Construction	Zinc coated steel finished in white powder coat
Diffuser	Injection moulded acrylic
Compliance	AS/NZS 2293 AS/NZS 60598  

*hrc - high rate charge, lrc - low rate charge.

Large LED Exit Signs

CAT NO. 684481, 684482, 684483, 684484, 684485, 684486, 684487, 684488, 684489, 684490, 684491, 684492, 684493, 684494, 684495, 684496, 684497, 684498, 684499, 684500, 684501, 684502, 684503, 684504, 684505, 684506, 684507, 684508, 684509, 684511, 684512, 684513, 684514, 684515



684481




684486




684501


- Ceiling mounted
- Robust construction
- Suitable for shopping malls, exhibition halls, sports venues and industrial applications
- 3 large sizes for increased viewing distances: 32m, 48m or 60m
- Long life LED strip and electronic
- Two installation wall bracket accessories available
- Manufactured in Australia



Wall bracket accessory




32m and 48m wall bracket
Cat no. 684508




60m wall bracket
Cat no. 684506

Wall flush bracket accessory



32m and 48m wall flush bracket
Cat no. 684509



60m wall flush bracket
Cat no. 684507

Large LED Exit Signs

CAT NO. 684481, 684482, 684483, 684484, 684485, 684486, 684487, 684488, 684489, 684490, 684491, 684492, 684493, 684494, 684495, 684496, 684497, 684498, 684499, 684500, 684501, 684502, 684503, 684504, 684505, 684506, 684507, 684508, 684509, 684511, 684512, 684513, 684514, 684515

Single product		
Cat No	Description	Weight
32m		
684481	Lge Exit SS RM 32M	4.85kg
684482	Lge Exit SS RML 32M	4.85kg
684483	Lge Exit SS RMR 32M	4.85kg
684484	Lge Exit DS RM 32M	4.85kg
684485	Lge Exit DS RML/R 32M	4.85kg
684491	Lge Exit SS RM 32M Axiom	4.85kg
684492	Lge Exit SS RML 32M Axiom	4.85kg
684493	Lge Exit SS RMR 32M Axiom	4.85kg
684494	Lge Exit DS RM 32M Axiom	4.85kg
684495	Lge Exit DS MNM RMLR 32M Axiom	4.85kg
48m		
684486	Lge Exit SS RM 48M	5.27kg
684487	Lge Exit SS RML 48M	5.27kg
684488	Lge Exit SS RMR 48M	5.27kg
684489	Lge Exit DS RM 48M	5.27kg
684490	Lge Exit DS MNM RMLR 48M	5.27kg
684496	Lge Exit SS RM 48M Axiom	5.27kg
684497	Lge Exit SS RML 48M Axiom	5.27kg
684498	Lge Exit SS RMR 48M Axiom	5.27kg
684499	Lge Exit DS RM 48M Axiom	5.27kg
684500	Lge Exit DS MNM RMLR 48M Axiom	5.27kg
60m		
684501	Lge Exit SS RM 60M	6.90kg
684502	Lge Exit SS RML 60M	6.90kg
684503	Lge Exit SS RMR 60M	6.90kg
684504	Lge Exit DS RM 60M	6.90kg
684505	Lge Exit DS RML/R 60M	6.90kg
684511	Lge Exit SS RM 60M Axiom	6.90kg
684512	Lge Exit SS RML 60M Axiom	6.90kg
684513	Lge Exit SS RMR 60M Axiom	6.90kg
684514	Lge Exit DS RM 60M Axiom	6.90kg
684515	Lge Exit DS RML/R 60M Axiom	6.90kg

Accessories	
684508	32/48m wall bracket
684506	60m wall bracket
684509	32/48m wall flush bracket
684507	60m wall flush bracket

Classification	
32m	C0 D12.5 C90 D5
48m	C0 D12.5 C90 D4
60m	C0 D10 C90 D3.2

Maximum Spacing between luminaires					
Mounting Height to AS 2293.1 - 2005	2.4	2.7	3.0	3.3	5
D3.2	6.6	6.6	6.5	6.4	4.1
D4	7.3	7.3	7.3	7.3	5.8
D5	8.0	8.1	8.2	8.2	7.3
D10	10.6	10.9	11.1	11.3	11.6
D12.5	11.5	11.8	12.1	12.4	13.0

RM = Running man straight
DS = Double sided
SS = Single sided
RML = Running man left
RMR = Running man right

Legrand Australia
1300 369 777
www.legrand.com.au
ABN 31 000 102 661

Legrand New Zealand
0800 476 009
www.legrand.co.nz

Refer to your group buying office, Legrand Sales Representative or Legrand Sales Office for pricing.

Please note: specifications are subject to change without prior notice.