

# Data Sheet

## LED Satellite – D50



CAT NO. 685204/LI, 685205/LI, 685206/LI, 685207/LI



No trim



Small round trim



Medium round trim



Square trim

Specifications		
Cat No	685204/LI, 685205/LI	685206/LI, 685207/LI
Type	SPU	AXIOM
Battery pack	Li-ion 6.4V, 1.5Ah with PCM-B	
Operating Voltage	240V a.c. +/- 6% 50Hz	
Power Consumption	0.95W	1.4W
Body Constructions	Polycarbonate	
Operating Temperature	10° to 40°	
IP Rating	IP20	
Compliance	AS/NZS 2293 AS/NZS 60598  	

# LED Satellite – D50

CAT NO. 685204/LI, 685205/LI, 685206/LI, 685207/LI



- Suitable for all emergency lighting applications
- Energy efficient: less than 1W energy consumption in stand by mode
- Easy to install
- Suitable for different hole sizes
- One high Brightness LED
- iSmart™ temperature sensing technology for LIION battery
- Electronics designed to lengthen the life of the battery
- SPU or Axiom options
- Also available in black
- 5 year warranty
- Manufactured in Australia


Cat No	Description	Classification C <sub>0</sub> /C <sub>90</sub>
<b>SPU</b>		
685204/LI	LED Satellite Flex and Plug White	D50
685205/LI	LED Satellite Flex and Plug Black	D50
<b>Axiom</b>		
685206/LI	Axiom LED Satellite Flex and Plug White	D50
685207/LI	Axiom LED Satellite Flex and Plug Black	D50

Trim	Dimensions	Hole cut-out
<b>No Trim</b>	56mmØ	52mmØ
<b>Small ring</b>	80mmØ	52mm - 60mmØ
<b>Medium ring</b>	120mmØ	52mm - 85mmØ
<b>Medium square</b>	120 x 120mm	52mm - 85mmØ

## Spacing table:

Maximum spacings between luminaires as per AS/NZS 2293

Mounting Height (m)	2.4	2.7	3	3.3	3.6	4.0
<b>A</b>	18.7	19.4	20.1	20.7	21.2	21.8
<b>B</b>	18.7	19.4	20.1	20.7	21.2	21.8




# LED Satellite – D50

CAT NO. 685204/LI, 685205/LI, 685206/LI, 685207/LI




## DIMENSIONS


### Fascia



### SPU Power Pack



### AXIOM Power Pack



Legrand - Australia  
1300 369 777  
www.legrand.com.au  
ABN 31 000 102 661

Legrand - New Zealand  
0800 476 009  
www.legrand.co.nz

Refer to your group buying office, Legrand Sales Representative or Legrand Sales Office for pricing.

Please note: specifications are subject to change without prior notice.