

PRODUCT DATASHEET

LED SST D/L TRI 8 W 3000 K 4000 5000 KIT

LED SUPERSTAR DOWNLIGHT TRI-COLOUR SWITCH | LED downlight with three settable color temperatures

AREAS OF APPLICATION

- Bathrooms (IP44)
- Residential interiors
- Commercial lighting



PRODUCT BENEFITS

- Easy connection thanks to Plug and Play technology

PRODUCT FEATURES

- Three light colors selectable via slide switch
- Luminous efficacy: up to 106 lm/W
- Beam angle: 90°
- Dimmable (with many common dimmers, see also www.ledvance.com.au)
- Type of protection, front side: IP44



TECHNICAL DATA

Electrical data

Nominal wattage	8.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000/4000/5000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White/Cool White/Daylight
Luminous flux	750/850/820 lm
Luminous efficacy	94/106/102 lm/W

Dimensions & weight

Diameter	115.0 mm
Height	60.0 mm
Product weight	230.00 g

Colors & materials

Body material	Polybutylene terephthalate (PBT)
Housing color	White
Product color	White

Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

Additional product data

Mounting type	Recessed
---------------	----------

Capabilities

Dimmable	Yes
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP44/IP20

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	---------------------------------	-----------------------------------------	--------	--------------

4058075090941	LED SST D/L TRI 8 W 3000 K 4000 5000 KIT	Shipping carton box 12	263 mm x 263 mm x 250 mm	17.29 dm ³	3318.00 g
4058075090965	LED SST D/L TRI 8 W 3000 K 4000 5000 KIT	Shipping carton box 24	512 mm x 405 mm x 182 mm	37.74 dm ³	7069.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.