














LINEAR ULTRA OUTPUT




	EAN	l x w x h [mm]	W	lm	lm/W	K	IP	IK
LN UO 1200 33W/3000K	4058075122147	1168 x 62 x 74	33	3700	110	3000	20	08
LN UO 1200 33W/4000K	4058075122161	1168 x 62 x 74	33	4000	120	4000	20	08
LN UO 1500 30W/3000K	4058075122185	1458 x 62 x 74	30	3500	115	3000	20	08
LN UO 1500 30W/4000K	4058075122208	1458 x 62 x 74	30	3800	125	4000	20	08
LN UO 1500 46W/3000K	4058075122222	1458 x 62 x 74	46	5000	110	3000	20	08
LN UO 1500 46W/4000K	4058075122246	1458 x 62 x 74	46	5500	120	4000	20	08
LN UO 1500 60W/3000K	4058075122260	1458 x 62 x 74	60	6600	110	3000	20	08
LN UO 1500 60W/4000K	4058075122284	1458 x 62 x 74	60	7100	120	4000	20	08

	EAN	θ (°C)	V _{AC}	Hz	∇	PF	R _a	⦿
LN UO 1200 33W/3000K	4058075122147	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.5 kg
LN UO 1200 33W/4000K	4058075122161	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.5 kg
LN UO 1500 30W/3000K	4058075122185	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.8 kg
LN UO 1500 30W/4000K	4058075122208	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.8 kg
LN UO 1500 46W/3000K	4058075122222	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.9 kg
LN UO 1500 46W/4000K	4058075122246	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.9 kg
LN UO 1500 60W/3000K	4058075122260	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.9 kg
LN UO 1500 60W/4000K	4058075122284	0...+40	220-240 V	50/60 Hz	110°	> 0.9	≥ 80	1.9 kg








LN UO 1500 REFLECTOR
EAN 4058075133389



11b



12



RoHS



C10449057
 G11034903
 27.04.18



LEDVANCE GmbH
 Steinerne Furt 62
 86167 Augsburg, Germany
www.ledvance.com