

Product datasheet
LUP
LW1110DI40SP40NB LUP WALL Ø110 DIR/INDIR 4000 NW SP BK.


Description:

Apply to attach to the wall. Model LUP WALL Ø110 DIR/INDIR 4000 NW SP BK., LAMP brand. Body manufactured in aluminum extrusion, painted in black. Model for LED COB. With neutral white color temperature and built-in electronic equipment. With direct-indirect Spot optics. With a degree of protection IP65, IK06. Insulation class I.

Finish: Texturised black RAL 9011

Weight: 2.700 g

IEE : A

Installation: Wall mounted

Lamp:
Type: HI POWER NICHIA

LED Lifetime: 50.000 L70

Power: 33W

°K : 4000

CRI : 80

MacAdam: 3

Electrical features:
Gear: Electronic

Plum: 37.2W

Power Supply: 220-240V 50/60Hz

Technical features:

Quality certificates:

Photometrical data:

H (m)	D (m)	E _{max}	E _{med}	alpha = 15,7°	Beam spread diagram	Technical data
1	0,28	10416	7099			LW1110DI40SP40NB $\eta = 100\%$ $I_{max} = 4176 \text{ cd/klm}$ UTE: 0,50T CIE: 100 100 100 50 100
2	0,55	2604	1775			
3	0,83	1157	789			
4	1,10	651	444			

Light output: 2.510 lm **Efficacy:** 67,5 lm/w

Tel. +34937366800

Fax +34937861551

Web www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es.

Complies with the Directive 2010/30/UE

20-03-2020

Pág. 1 / 1