

PRODUCT DATASHEET

VALUE CEILING 15 W 3000 K 4000 5000

LED VALUE Tri-Colour Oyster Light | LED ceiling luminaires with three settable color temperatures



AREAS OF APPLICATION

- Living areas (living rooms, dining rooms, bedrooms etc.)

PRODUCT BENEFITS

- Easy and quick installation
- Slim and sleek design

PRODUCT FEATURES

- Three light colors selectable via slide switch
- Lifetime (L70/B50): up to 30,000 h
- Beam angle: 120°
- Type of protection: IP20



TECHNICAL DATA**Electrical data**

Nominal wattage	15.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000/4000/5000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White/Cool White/Daylight
Luminous flux	1175/1425 lm
Luminous efficacy	85/95 lm/W

Dimensions & weight

Diameter	300.0 mm
Height	105.0 mm
Product weight	430.00 g

Colors & materials

Body material	Steel
Housing color	White
Product color	White
Cover material	Polymethylmethacrylate (PMMA)

Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

Additional product data

Mounting type	Surface
Mounting location	Ceiling

Capabilities

Dimmable	No
----------	----

Certificates & standards

Protection class	I
Type of protection	IP20

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075207523	Folding carton box 1	315 mm x 115 mm x 315 mm	553.00 g	11.41 dm ³
4058075207530	Shipping carton box 5	600 mm x 330 mm x 340 mm	3894.00 g	67.32 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.