

PRODUCT DATASHEET

LDPFM BATTEN 600 20 W 3000 K 4000 5700 Narrow

LED PERFORMANCE TRI COLOUR BATTEN | LED batten luminaires with slide switch for adjusting one of selectable light colors



AREAS OF APPLICATION

- Offices
- Commercial lighting
- Storage rooms

PRODUCT BENEFITS

- Homogeneous light output
- Mercury-free technology
- Slim housing

PRODUCT FEATURES

- Uniform illumination
- Three light colors selectable via slide switch
- Color rendering index R_a : > 80
- Beam angle: 110°
- Type of protection: IP20
- Protection class: I
- Power factor: > 0.9



TECHNICAL DATA

Electrical data

Nominal wattage	20.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000/4000/5700 K
Color rendering index Ra	80
Light color (designation)	Warm White/Cool White/Daylight
Luminous flux	2100 lm
Luminous efficacy	105 lm/W

Dimensions & weight

Length	595.0 mm
Width	60.0 mm
Height	60.0 mm
Product weight	1000.00 g

Colors & materials

Body material	Polyvinyl chloride (PVC)/POL
Housing color	White
Product color	White

Temperatures & operating conditions

Ambient temperature range	-10...40 °C
---------------------------	-------------

Additional product data

Mounting type	Surface
Mounting location	Ceiling / Wall

Capabilities

Dimmable	No
Type of connection	Terminal

Certificates & standards

Protection class	I
Type of protection	IP20

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075217874	Folding carton box 1	615 mm x 70 mm x 65 mm	1135.00 g	2.80 dm ³
4058075217881	Shipping carton box 6	630 mm x 225 mm x 150 mm	7420.00 g	21.26 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.