



### PRODUCT DETAILS



UPCOMING NEW **FAST RUNNER** UPDATED PHASE-OUT PRODUCTS



### DOWNLOADS

[Datasheet](#)

[Installation manual](#)

# AIR ECO

### Description

<b>MOUNTING</b>	Suspended or ceiling surfaced lighting track system - suitable for ONETRACK (TRS)
<b>LIGHT SOURCE</b>	LED
<b>OPTICAL SYSTEM</b>	Facet reflector (FRE)
<b>LIGHT DISTRIBUTION</b>	Direct
<b>WIRING</b>	Electronic control gear FIX (ECG)
<b>MATERIALS</b>	Housing: die-cast aluminium + sheet steel Reflector: facet anodized aluminium
<b>SURFACE FINISH</b>	Housing: white RAL 9003 (W03)
<b>ACCESSORIES</b>	Coloured filters Various types of connections and suspension equipment (ONETRACK)
<b>SERVICE LIFETIME (Ta=25°C)</b>	50,000 hours / L80 / B10
<b>AMBIENT OPERATING TEMPERATURE</b>	From -20 °C to +35 °C

**AREAS OF APPLICATION** ARCHITECTURE AND MEDIA

RETAIL AND PRESENTATION



## Accessories

— 915 001



## List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
AIR ECO 24° LED 1550lm/830 1x12W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 24° LED 1600lm/840 1x12W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 24° LED 2200lm/830 1x21W, FIX, RAL 9003	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 24° LED 2300lm/840 1x21W, FIX, RAL 9003	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 24° LED 4050lm/830 1x34W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 24° LED 4150lm/840 1x34W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 40° LED 1550lm/830 1x12W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 40° LED 1600lm/840 1x12W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 40° LED 2200lm/830 1x21W, FIX, RAL 9003	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 40° LED 2300lm/840 1x21W, FIX, RAL 9003	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 40° LED 4050lm/830 1x34W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
AIR ECO 40° LED 4150lm/840 1x34W, FIX, RAL 9003	New	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.