



### PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



### DOWNLOADS

[Datasheet](#)

[Installation manual](#)

# ZIPAR SURFACED

## Description Product map

<b>MOUNTING</b>	Ceiling surfaced (SFD)
<b>LIGHT SOURCE</b>	LED
<b>OPTICAL SYSTEM</b>	Facet reflector (FRE)
<b>LIGHT DISTRIBUTION</b>	Direct
<b>WIRING</b>	Electronic control gear FIX / DALI (ECG / EDA)
<b>MATERIALS</b>	Housing: extruded aluminium Reflector: facet anodized aluminium Top cover: sheet steel
<b>SURFACE FINISH</b>	Housing: white RAL 9003 (W03)
<b>RISK OF PHOTOBIOLOGICAL DAMAGE</b>	Exempt group = 0
<b>SERVICE LIFETIME (Ta=25°C)</b>	50,000 hours / L80 / B10
<b>AMBIENT OPERATING TEMPERATURE</b>	From -20 °C to +35 °C

## AREAS OF APPLICATION

ARCHITECTURE AND MEDIA

HOSPITALITY

RETAIL AND PRESENTATION



## Accessories

---

## List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
ZIPAR SURFACED 24° LED 3550lm/830 1x31W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 3650lm/840 1x31W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 3550lm/830 1x31W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 3650lm/840 1x31W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 1500lm/830 1x12W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 1550lm/840 1x12W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 2400lm/830 1x19W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 2500lm/840 1x19W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 1500lm/830 1x12W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 1550lm/840 1x12W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 2400lm/830 1x19W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 2500lm/840 1x19W, FIX, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

		<a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 1500lm/830 1x12W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 1550lm/840 1x12W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 2400lm/830 1x19W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 2500lm/840 1x19W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 3550lm/830 1x31W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 24° LED 3650lm/840 1x31W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 1500lm/830 1x12W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 1550lm/840 1x12W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 2400lm/830 1x19W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 2500lm/840 1x19W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 3550lm/830 1x31W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
ZIPAR SURFACED 40° LED 3650lm/840 1x31W, DALI, -	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.