




PRODUCT DETAILS



UPCOMING NEW **FAST RUNNER** UPDATED PHASE-OUT PRODUCTS



Accessories



DOWNLOADS

[Certificates](#)

[Datasheet](#)

[Installation manual](#)

NOVEL M

Description [Product map](#)

MOUNTING	Ceiling recessed
LIGHT SOURCE	LED
OPTICAL SYSTEM	Polished reflector + opal cover (PRO) Polished reflector (PRE) Polished reflector + transparent cover (PRT) On request: Matt reflector
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA) Emergency unit variant (3H)
MATERIALS	Box: sheet steel Cover: transparent / opal PMMA Diffuser: microprismatic PMMA Housing: sheet steel Reflector: polished anodised aluminium
SURFACE FINISH	Trim: white RAL 9003 (W03)
SERVICE LIFETIME (Ta=25°C)	50,000 hours / L80 / B10
AMBIENT OPERATING TEMPERATURE	From -20 °C to +35 °C (from 5 °C with EM unit)

AREAS OF APPLICATION

- EDUCATION
- HOSPITALITY
- HOUSE AND FLAT
- HEALTH AND CARE
- RETAIL AND PRESENTATION
- OFFICE



List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
NOVIEL M POLISHED REF IP40 LED 2100lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2000lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2900lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 3050lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2500lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2650lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 3000lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2600lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2050lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2450lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2850lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 1950lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 3000lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2600lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2050lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2450lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2850lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 1950lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2050lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2150lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2550lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2700lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2950lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 3100lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 3050lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2650lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2100lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2900lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2500lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2000lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2100lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2100lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2000lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2000lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2900lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2900lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 3050lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 3050lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
NOVIEL M POLISHED REF IP40 LED 2500lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2500lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2650lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED REF IP40 LED 2650lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2150lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2150lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2550lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2550lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2700lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2700lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2950lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2950lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 3100lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
NOVIEL M MATT REF IP40 LED 3100lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 3000lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 3000lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2600lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2600lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2050lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2050lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2450lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2450lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2850lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 2850lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 1950lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+TRANSPARENT IP44 LED 1950lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 3000lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2600lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2050lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2450lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 2850lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M POLISHED+OPAL IP44 LED 1950lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 3050lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 3050lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2650lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2650lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2100lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2100lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2900lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2900lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2500lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2500lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2000lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT+TRANSPARENT IP44 LED 2000lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2050lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
NOVIEL M MATT REF IP40 LED 2050lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.