



PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



DOWNLOADS

[Certificates](#)

[Datasheet](#)

[Installation manual](#)

PRETTUS L

Description [Product map](#)

MOUNTING	Ceiling recessed
LIGHT SOURCE	LED
OPTICAL SYSTEM	Polished reflector + opal cover (PRO) Polished reflector + transparent cover (PRT) Polished / matt / white reflector (PRE / MRE / WRE) Matt reflector + transparent cover (MRT) White reflector + transparent cover (WRT)
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA) Emergency unit variant (3H)
MATERIALS	Cover: transparent / opal PMMA Diffuser: microprismatic PMMA Housing: sheet steel Reflector: polished / matt / white anodised aluminium Trim: die cast aluminium
SURFACE FINISH	Trim: white RAL 9003 (W03)
SERVICE LIFETIME (Ta=25°C)	50,000 hours / L80 / B10
AMBIENT OPERATING TEMPERATURE	From -20 °C to +35 °C (from 5 °C with EM unit)

AREAS OF APPLICATION

- EDUCATION
- HOSPITALITY
- HOUSE AND FLAT
- HEALTH AND CARE
- RETAIL AND PRESENTATION
- OFFICE



Accessories

List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
PRETTUS L POLISHED REF IP40 LED 3350lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3050lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 2900lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3500lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 2900lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 3150lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 2750lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 3300lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 3250lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 2700lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 3100lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 2850lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS L MATT REF IP40 LED 2950lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3400lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3100lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3550lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 3350lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 3200lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 2950lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3550lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3100lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3400lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 3350lm/840 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 3200lm/830 1x33W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3350lm/830 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3350lm/830 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3050lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3050lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 2900lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 2900lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3500lm/840 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED REF IP40 LED 3500lm/840 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 2900lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 2900lm/840 1x29W, FIX + EM 3H, RAL	Fast Runner	RFA / 3DS / IES / LDT /

9003			CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 3150lm/830 1x33W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 3150lm/830 1x33W, FIX + EM 3H, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 2750lm/830 1x29W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 2750lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 3300lm/840 1x33W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+TRANSPARENT IP54 LED 3300lm/840 1x33W, FIX + EM 3H, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 3250lm/840 1x33W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 2700lm/830 1x29W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 3100lm/830 1x33W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L POLISHED+OPAL IP54 LED 2850lm/840 1x29W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 2950lm/830 1x29W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 2950lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3400lm/830 1x33W, DALI, RAL 9003	Fast Runner		RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS L MATT REF IP40 LED 3400lm/830 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3100lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3100lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3550lm/840 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT REF IP40 LED 3550lm/840 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 2800lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 2950lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 3350lm/840 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 3350lm/840 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 3200lm/830 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L MATT+TRANSPARENT IP54 LED 3200lm/830 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS L WHITE REF IP40 LED 2950lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 2950lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3550lm/840 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3550lm/840 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3100lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3100lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3400lm/830 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE REF IP40 LED 3400lm/830 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 2800lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 2950lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 3350lm/840 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 3350lm/840 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /
		CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 3200lm/830 1x33W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /
		CURVE /
PRETTUS L WHITE+TRANSPARENT IP54 LED 3200lm/830 1x33W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /
		CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.