



PRODUCT DETAILS



UPCOMING NEW **FAST RUNNER** UPDATED PHASE-OUT PRODUCTS



Accessories



DOWNLOADS

[Certificates](#)

[Datasheet](#)

[Installation manual](#)

PRETTUS M

Description [Product map](#)

MOUNTING	Ceiling recessed
LIGHT SOURCE	LED
OPTICAL SYSTEM	Polished reflector + opal cover (PRO) Polished reflector + transparent cover (PRT) Polished / matt / white reflector (PRE / MRE / WRE) Matt reflector + transparent cover (MRT) White reflector + transparent cover (WRT)
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA) Emergency unit variant (3H)
MATERIALS	Cover: transparent / opal PMMA Diffuser: microprismatic PMMA Housing: sheet steel Reflector: polished / matt / white anodised aluminium Trim: die cast aluminium
SURFACE FINISH	Trim: white RAL 9003 (W03)
SERVICE LIFETIME (Ta=25°C)	50,000 hours / L80 / B10
AMBIENT OPERATING TEMPERATURE	From -20 °C to +35 °C (from 5 °C with EM unit)

AREAS OF APPLICATION

- EDUCATION
- HOSPITALITY
- HOUSE AND FLAT
- HEALTH AND CARE
- RETAIL AND PRESENTATION
- OFFICE



List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
PRETTUS M POLISHED REF IP40 LED 2000lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 1900lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2450lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 3050lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2900lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2550lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2350lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2700lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2200lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 1900lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 1800lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2850lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2800lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2300lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2150lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 1750lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 1850lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2650lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2100lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2200lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2550lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2700lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 3100lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 3250lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 1950lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2050lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2350lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2450lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2100lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2200lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2550lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2700lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 3100lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 3250lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 1950lm/830 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2050lm/840 1x19W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2350lm/830 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2450lm/840 1x24W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2000lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2000lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 1900lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 1900lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2450lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2450lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 3050lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 3050lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2900lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M POLISHED REF IP40 LED 2900lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2550lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED REF IP40 LED 2550lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2350lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2350lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2700lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2700lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2200lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2200lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 1900lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 1900lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 1800lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 1800lm/830 1x19W, FIX + EM 3H, RAL	Fast Runner	RFA / 3DS / IES / LDT /

9003		CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2850lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+TRANSPARENT IP54 LED 2850lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2800lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2300lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2150lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 1750lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 1850lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M POLISHED+OPAL IP54 LED 2650lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2100lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2100lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2200lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2200lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2550lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M MATT REF IP40 LED 2550lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2700lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 2700lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 3100lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 3100lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 3250lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT REF IP40 LED 3250lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 1950lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 1950lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2050lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2050lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2350lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2350lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2450lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2450lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2800lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2950lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M MATT+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2100lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2100lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2200lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2200lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2550lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2550lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 2700lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

		CURVE /
PRETTUS M WHITE REF IP40 LED 2700lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 3100lm/830 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 3100lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 3250lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE REF IP40 LED 3250lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 1950lm/830 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 1950lm/830 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2050lm/840 1x19W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2050lm/840 1x19W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2350lm/830 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2350lm/830 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2450lm/840 1x24W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2450lm/840 1x24W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT /

PRETTUS M WHITE+TRANSPARENT IP54 LED 2800lm/830 1x29W, DALI, RAL 9003	Fast Runner	CURVE / RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2800lm/830 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2950lm/840 1x29W, DALI, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /
PRETTUS M WHITE+TRANSPARENT IP54 LED 2950lm/840 1x29W, FIX + EM 3H, RAL 9003	Fast Runner	RFA / 3DS / IES / LDT / CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.