



### PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



### Accessories



# SEMAI

## DOWNLOADS

[Datasheet](#)

[Installation manual](#)

### Description

<b>MOUNTING</b>	Pole top / side entry installation (PMT)
<b>LIGHT SOURCE</b>	LED
<b>OPTICAL SYSTEM</b>	Lenses (L01) On request: L04, L05, L06, L08, L09, L10, L12
<b>LIGHT DISTRIBUTION</b>	Direct
<b>WIRING</b>	Electronic control gear FIX / DALI / STEP DIM / INT DIM (ECG / EDA / EDB / EDP) External lead-in flexible cable
<b>MATERIALS</b>	Cover: transparent hardened glass Frame: sheet steel Housing: die-cast aluminium Tilttable spigot: die cast aluminium
<b>SURFACE FINISH</b>	Housing: grey RAL 9006 (G06)
<b>SERVICE LIFETIME (Ta=25°C)</b>	100,000 hours / L90 / B20 - 80 W 100,000 hours / L80 / B20 - 105 W 100,000 hours / L90 / B10 - other versions
<b>AMBIENT OPERATING TEMPERATURE</b>	From -40 °C to +40 °C

### AREAS OF APPLICATION STREET AND URBAN



## List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
SEMAI (L01) LED 3050lm/740 1x27W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 4100lm/740 1x36W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 5100lm/740 1x45W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 6150lm/740 1x54W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 7150lm/740 1x63W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 9200lm/740 1x80W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 11100lm/740 1x105W, FIX, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 3050lm/740 1x27W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 5100lm/740 1x45W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 6150lm/740 1x54W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 4100lm/740 1x36W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 7150lm/740 1x63W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

		<a href="#">CURVE</a> /
SEMAI (L01) LED 11100lm/740 1x105W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 9200lm/740 1x80W, DALI, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 3050lm/740 1x27W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 6150lm/740 1x54W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 5100lm/740 1x45W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 4100lm/740 1x36W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 7150lm/740 1x63W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 9200lm/740 1x80W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 11100lm/740 1x105W, STEP DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 3050lm/740 1x27W, INT DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 4100lm/740 1x36W, INT DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 6150lm/740 1x54W, INT DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 5100lm/740 1x45W, INT DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> /

SEMAI (L01) LED 7150lm/740 1x63W, INT DIM, RAL 9006	Updated	<a href="#">CURVE</a> / <a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 9200lm/740 1x80W, INT DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /
SEMAI (L01) LED 11100lm/740 1x105W, INT DIM, RAL 9006	Updated	<a href="#">RFA</a> / <a href="#">3DS</a> / <a href="#">IES</a> / <a href="#">LDT</a> / <a href="#">CURVE</a> /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.