



PRODUCT DETAILS



UPCOMING NEW FAST RUNNER UPDATED PHASE-OUT PRODUCTS



DOWNLOADS

[Datasheet](#)

[Installation manual](#)

PRETTUS XTP

Description Product map

MOUNTING	Ceiling recessed
LIGHT SOURCE	LED
OPTICAL SYSTEM	Polished reflector + opal cover (PRO) Polished reflector + transparent cover (PRT) Matt reflector + transparent cover (MRT) White reflector + transparent cover (WRT)
LIGHT DISTRIBUTION	Direct
WIRING	Electronic control gear FIX / DALI (ECG / EDA)
MATERIALS	Diffuser: microprismatic PMMA Housing: die-cast aluminium Reflector: polished / matt / white anodised aluminium Trim: die cast aluminium Cover: transparent / opal glass Trim: white RAL 9003 (W03)
SURFACE FINISH	
SERVICE LIFETIME (Ta=25°C)	50,000 hours / L80 / B10
AMBIENT OPERATING TEMPERATURE	From -25 °C to +35 °C

AREAS OF APPLICATION

- EDUCATION
- HOSPITALITY
- HOUSE AND FLAT
- INDUSTRY AND ENGINEERING
- HEALTH AND CARE
- RETAIL AND PRESENTATION



Accessories

List of products

PRODUCT NAME	STATUS	QUICK DOWNLOADS
PRETTUS XTP POLISHED + TRANSPARENT LED 1850lm/830 1x19W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 1950lm/840 1x19W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 2350lm/830 1x24W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 2450lm/840 1x24W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 2800lm/830 1x29W, DALI, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 2950lm/840 1x29W, DALI, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 3200lm/830 1x30W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 3350lm/840 1x30W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 1550lm/830 1x19W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 1650lm/840 1x19W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 2000lm/830 1x24W, FIX, RAL 9003		RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 2100lm/840 1x24W, FIX, RAL 9003		RFA / 3DS / IES / LDT /

	CURVE /
PRETTUS XTP POLISHED + OPAL LED 2450lm/830 1x29W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP POLISHED + OPAL LED 2550lm/840 1x29W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP POLISHED + OPAL LED 2700lm/830 1x30W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP POLISHED + OPAL LED 2850lm/840 1x30W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 1900lm/830 1x19W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2000lm/840 1x19W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2400lm/830 1x24W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2500lm/840 1x24W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2850lm/830 1x29W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 3000lm/840 1x29W, DALI, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 3250lm/830 1x30W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 3400lm/840 1x30W, FIX, RAL 9003	RFA / 3DS / IES / LDT /
	CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 1900lm/830 1x19W, FIX, RAL 9003	RFA / 3DS / IES / LDT /

	CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2000lm/840 1x19W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2400lm/830 1x24W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2500lm/840 1x24W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2850lm/830 1x29W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 3000lm/840 1x29W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 3250lm/830 1x30W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 3400lm/840 1x30W, FIX, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 1850lm/830 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 1950lm/840 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 2350lm/830 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + TRANSPARENT LED 2450lm/840 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 1550lm/830 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 1650lm/840 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT /

PRETTUS XTP POLISHED + OPAL LED 2000lm/830 1x24W, DALI, RAL 9003	CURVE / RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP POLISHED + OPAL LED 2100lm/840 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 1900lm/830 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2000lm/840 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2400lm/830 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP MATT + TRANSPARENT LED 2500lm/840 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 1900lm/830 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2000lm/840 1x19W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2500lm/840 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /
PRETTUS XTP WHITE + TRANSPARENT LED 2400lm/830 1x24W, DALI, RAL 9003	RFA / 3DS / IES / LDT / CURVE /

The manufacturer reserves all rights to make changes in materials and components used in production of lighting fittings.