

The pure form of a tube is used to create a range of hanging or surface luminaires for general lighting.

A wide variety of areas can be lit with Tubular: commercial, home, restaurants, hotels and many more where the look of the place is an important feature.

Features:

Extruded aluminium housing, with micro-perforated metal disc in the upper part.

Fitting:

Two installation options:

- Base superficie (ON-OFF + DALI)
- Base semi-superficie (solo versión ON-OFF).



Power

LED 7W, 13W, 17W, 25W, 37W

Beam

LED 12°, 24°, 36°

Colour temperature

2700K warm white - CRI \geq 90

3000K warm white - CRI \geq 90

4000K neutral white - CRI \geq 90

Nominal lumen output

7W - 1000lm, 13W - 1600lm, 17W - 2300lm, 25W - 3000lm, 37W - 4400lm

Control gear

Electronic (EL)

Electronic Dimmer (ELD) - on demand

Electronic Dimmer Dali (ELDD) - on demand

IP

IP20

Finishes

Gold (02)

Anthracite (22)

White (63)

Supply voltage

220... 240V, 50/60Hz

Installation

Suspended

Accessories

Hanging models require a base-plate

Features



Finishes




To complete the product reference, add finish

LED

ORANGE INSIDE

LED and control gear included



7W
12°
control gear EL
1000 lm
2700K **11.1645.1211**
3000K **11.1645.1311**
4000K **11.1645.1411**



7W
24°
control gear EL
1000 lm
2700K **11.1645.1221**
3000K **11.1645.1321**
4000K **11.1645.1421**


13W
12°
control gear EL
1600 lm
2700K **11.1645.4211**
3000K **11.1645.4311**
4000K **11.1645.4411**

13W
24°
control gear EL
1600 lm
2700K **11.1645.4221**
3000K **11.1645.4321**
4000K **11.1645.4421**

LED

BLACK INSIDE

LED and control gear included



7W
12°
control gear EL
1000 lm
2700K **11.1645.2211**
3000K **11.1645.2311**
4000K **11.1645.2411**



7W
24°
control gear EL
1000 lm
2700K **11.1645.2221**
3000K **11.1645.2321**
4000K **11.1645.2421**



13W
12°
control gear EL
1600 lm
2700K **11.1645.5211**
3000K **11.1645.5311**
4000K **11.1645.5411**

13W
24°
control gear EL
1600 lm
2700K **11.1645.5221**
3000K **11.1645.5321**
4000K **11.1645.5421**

LED

GOLD INSIDE

LED and control gear included



7W
12°
control gear EL
1000 lm
2700K **11.1645.3211**
3000K **11.1645.3311**
4000K **11.1645.3411**



7W
24°
control gear EL
1000 lm
2700K **11.1645.3221**
3000K **11.1645.3321**
4000K **11.1645.3421**

13W
12°
control gear EL
1600 lm
2700K **11.1645.6211**
3000K **11.1645.6311**
4000K **11.1645.6411**

13W
24°
control gear EL
1600 lm
2700K **11.1645.6221**
3000K **11.1645.6321**
4000K **11.1645.6421**

Features



Finishes



To complete the product reference, add finish


Versions:

DIMMER versions on request
DIMMER DALI versions on request

LED

ORANGE INSIDE

LED and control gear included




17W 12° control gear EL 2300 lm 2700K 11.2645.1211 3000K 11.2645.1311 4000K 11.2645.1411	17W 24° control gear EL 2300 lm 2700K 11.2645.1221 3000K 11.2645.1321 4000K 11.2645.1421	17W 36° control gear EL 2300 lm 2700K 11.2645.1231 3000K 11.2645.1331 4000K 11.2645.1431
---	---	---

25W 12° control gear EL 3000 lm 2700K 11.2645.4211 3000K 11.2645.4311 4000K 11.2645.4411	25W 24° control gear EL 3000 lm 2700K 11.2645.4221 3000K 11.2645.4321 4000K 11.2645.4421	25W 36° control gear EL 3000 lm 2700K 11.2645.4231 3000K 11.2645.4331 4000K 11.2645.4431
---	---	---

LED

BLACK INSIDE

LED and control gear included




17W 12° control gear EL 2300 lm 2700K 11.2645.2211 3000K 11.2645.2311 4000K 11.2645.2411	17W 24° control gear EL 2300 lm 2700K 11.2645.2221 3000K 11.2645.2321 4000K 11.2645.2421	17W 36° control gear EL 2300 lm 2700K 11.2645.2231 3000K 11.2645.2331 4000K 11.2645.2431
---	---	---

25W 12° control gear EL 3000 lm 2700K 11.2645.5211 3000K 11.2645.5311 4000K 11.2645.5411	25W 24° control gear EL 3000 lm 2700K 11.2645.5221 3000K 11.2645.5321 4000K 11.2645.5421	25W 36° control gear EL 3000 lm 2700K 11.2645.5231 3000K 11.2645.5331 4000K 11.2645.5431
---	---	---

LED

GOLD INSIDE

LED and control gear included



17W 12° control gear EL 2300 lm 2700K 11.2645.3211 3000K 11.2645.3311 4000K 11.2645.3411	17W 24° control gear EL 2300 lm 2700K 11.2645.3221 3000K 11.2645.3321 4000K 11.2645.3421	17W 36° control gear EL 2300 lm 2700K 11.2645.3231 3000K 11.2645.3331 4000K 11.2645.3431
---	---	---

25W 12° control gear EL 3000 lm 2700K 11.2645.6211 3000K 11.2645.6311 4000K 11.2645.6411	25W 24° control gear EL 3000 lm 2700K 11.2645.6221 3000K 11.2645.6321 4000K 11.2645.6421	25W 36° control gear EL 3000 lm 2700K 11.2645.6231 3000K 11.2645.6331 4000K 11.2645.6431
---	---	---

Features




Finishes



To complete the product reference, add finish


Versions:

DIMMER versions on request
DIMMER DALI versions on request



ORANGE INSIDE

LED and control gear included




25W
12°
control gear EL
3000 lm
2700K **11.3645.1211**
3000K **11.3645.1311**
4000K **11.3645.1411**



25W
24°
control gear EL
3000 lm
2700K **11.3645.1221**
3000K **11.3645.1321**
4000K **11.3645.1421**




25W
36°
control gear EL
3000 lm
2700K **11.3645.1231**
3000K **11.3645.1331**
4000K **11.3645.1431**



BLACK INSIDE

LED and control gear included



25W
12°
control gear EL
3000 lm
2700K **11.3645.2211**
3000K **11.3645.2311**
4000K **11.3645.2411**



25W
24°
control gear EL
3000 lm
2700K **11.3645.2221**
3000K **11.3645.2321**
4000K **11.3645.2421**




25W
36°
control gear EL
3000 lm
2700K **11.3645.2231**
3000K **11.3645.2331**
4000K **11.3645.2431**

37W
12°
control gear EL
4400 lm
2700K **11.3645.5211**
3000K **11.3645.5311**
4000K **11.3645.5411**


37W
24°
control gear EL
4400 lm
2700K **11.3645.5221**
3000K **11.3645.5321**
4000K **11.3645.5421**

37W
36°
control gear EL
4400 lm
2700K **11.3645.5231**
3000K **11.3645.5331**
4000K **11.3645.5431**



GOLD INSIDE

LED and control gear included



25W
12°
control gear EL
3000 lm
2700K **11.3645.3211**
3000K **11.3645.3311**
4000K **11.3645.3411**



25W
24°
control gear EL
3000 lm
2700K **11.3645.3221**
3000K **11.3645.3321**
4000K **11.3645.3421**



25W
36°
control gear EL
3000 lm
2700K **11.3645.3231**
3000K **11.3645.3331**
4000K **11.3645.3431**

37W
12°
control gear EL
4400 lm
2700K **11.3645.6211**
3000K **11.3645.6311**
4000K **11.3645.6411**

37W
24°
control gear EL
4400 lm
2700K **11.3645.6221**
3000K **11.3645.6321**
4000K **11.3645.6421**

37W
36°
control gear EL
4400 lm
2700K **11.3645.6231**
3000K **11.3645.6331**
4000K **11.3645.6431**

Finishes



To complete the product reference, add finish

Base



On-Off Surface Base
11.1645.0001.



Dali Surface Base
11.1645.0003.



On-Off Semi Surface Base
11.1645.0002.

Reference options

11. 645.

- 1- Ø60
- 2- Ø108
- 3- Ø140

- 1- orange inside / low power
- 2- black inside / low power
- 3- gold inside / low power
- 4- orange inside / high power
- 5- black inside / high power
- 6- gold inside / high power

- 2- 2700K
- 3- 3000K
- 4- 4000K

- 1- 12°
- 2- 24°
- 3- 36°**

- 1- On-Off*
- 2- Dimable
- 3- Dali

- 02- gold
- 22- anthracite
- 63- white

Reference Example

11.1645.4213.22



* - Small version only On / Off

** - Small version only 12° and 24°



Visual, Spain